NSN 3040-01-498-1260

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-498-1260

First End Style:

Indented flat keyway

End Similarity:

Not identical

Second End Style:

Two flat keyways

Overall Length:

7.440 inches

End Application:

Weapons cradle lashing band release mechanism assembly; la class 688 submarine.

First End Keyway Width:

Between 0.5030 inches and 0.5100 inches

First End External Keyway Length:

1.0400 inches

First End Keyway Depth:

0.1400 inches

First End Distance From Keyway Center To End:

0.8950 inches

First End Diameter:

Between 1.5500 inches and 1.5650 inches

Second End Keyway Width:

Between 0.2500 inches and 0.2520 inches

Second End External Keyway Length:

Between 1.1900 inches and 1.2200 inches

Second End Keyway Depth:

0.1400 inches

Second End Diameter:

Between 0.9982 inches and 0.9990 inches

Second End Angle Between Keyways:

180.0 degrees

Step Quantity:

2

Largest Step Diameter:

1.565 inches

Special Features:

Shaft has a total of 5 keyways

Material:

Stainless steel

Material Specification:

Astm-a564, comp 630 national specification all material responses

Shelf Life:

N/a

NSN 3040-01-498-1260

Shouldered Shaft - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A23200

