NSN 3040-01-498-1436

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-498-1436 First End Style: Unthreaded cross drilled **End Similarity:** Not identical Second End Style: Two flat keyways **Overall Length:** 7.440 inches **End Application:** Weapons cradle lashing band release mechanism assembly; la class 688 submarine. First End Diameter: Between 1.5500 inches and 1.5650 inches First End Hole Diameter: Between 0.5030 inches and 0.5100 inches First End Distance From Hole Center To End: 0.8750 inches **Second End Keyway Width:** Between 0.2500 inches and 0.2520 inches Second End External Keyway Length: Between 1.1900 inches and 1.2200 inches **Second End Keyway Depth:** 0.1400 inches **Second End Diameter:** Between 0.9982 inches and 0.9990 inches **Second End Angle Between Keyways:** 180.0 degrees Step Quantity: **Largest Step Diameter:** 1.565 inches **Special Features:** Shaft has 3 keyways Material: Stainless steel **Material Specification:** Astm-a564, comp 630 national specification all material responses Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 3040-01-498-1436 Shouldered Shaft - Page 2 of 2



Fiig:

A23200