## NSN 3040-01-500-7988

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-500-7988

## First End Style: Internal threaded **End Similarity:** Not identical Second End Style: Circular grooved and externally threaded Second End Groove Width: 0.3800 inches Second End Groove Diameter: 0.7000 inches **Overall Length:** 4.270 inches **End Application:** 30 inch upper hatch assembly for los angeles class ssn (688) First End Diameter: Between 1.1220 inches and 1.1230 inches First End Internal Thread Length: 1.380 inches Second End Distance From End To Groove: 0.990 inches Second End Diameter: 0.8750 inches Second End External Thread Length: 0.990 inches **Step Quantity:** 3 Largest Step Diameter: Between 1.122 inches and 1.123 inches Surface Finish: 32.0 microinches **Product Name:** Shaft, gear **Special Features:** First end of shaft provided with 0.750-10-unc-3b internal threads. Second end of shaft provided with 0.875-9unc-3a external threads Material: Nickel alloy k-500 **Material Specification:**

Qq-n-286, form: 2, condition: annealed & age hardened, finish: b federal specification single material response

Shelf Life:

N/a

## Unit Of Measure:

---

## NSN 3040-01-500-7988

Shouldered Shaft - Page 2 of 2

Demilitarization:

No

Fiig:

A23200

