NSN 3040-01-500-7992

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-500-7992

First End Style:
Internal threaded
End Similarity:
Not identical
Second End Style:
Circular grooved and externally threaded
Second End Groove Width:
0.3800 inches
Second End Groove Diameter:
0.8000 inches
Overall Length:
5.580 inches
End Application:
30 inch upper hatch assembly for los angeles class ssn (688)
First End Diameter:
Between 1.2470 inches and 1.2480 inches
First End Internal Thread Length:
1.500 inches
Second End Distance From End To Groove:
1.120 inches
Second End Diameter:
1.0000 inches
Second End External Thread Length:
1.120 inches
Step Quantity:
3
Largest Step Diameter:
Between 1.247 inches and 1.248 inches
Surface Finish:
32.0 microinches
Product Name:
Shaft, locking pin
Special Features:
First end of shaft provided with 0.750-10-unc-3b internal threads. Second end of shaft provided with 1.000-8unc-3a external threads
Material:
Nickel alloy k-500
Material Specification:
Qq-n-286, form: 2, condition: annealed & age hardened, finish: b federal specification single material response
Shelf Life:
N/a
Unit Of Measure:

--

NSN 3040-01-500-7992

Shouldered Shaft - Page 2 of 2



Demilitarization:

No

Fiig:

A23200