

View Online at <https://aerobasegroup.com/nsn/3040-01-501-0189>

First End Style:

Circular grooved and externally threaded

First End Groove Width:

0.1900 inches

First End Groove Diameter:

0.6050 inches

End Similarity:

Not identical

Second End Style:

Circular grooved flat keyway and externally threaded

Second End Groove Width:

0.1900 inches

Second End Groove Diameter:

0.6050 inches

Overall Length:

14.000 inches

End Application:

Retractable bow plane diving ram cylinder zero lk assembly for nssn class submarine

First End Distance From End To Groove:

1.190 inches

First End Diameter:

0.7500 inches

First End External Thread Length:

1.190 inches

Second End Distance From End To Groove:

1.235 inches

Second End Keyway Width:

Between 0.5010 inches and 0.5020 inches

Second End External Keyway Length:

2.312 inches

Second End Keyway Depth:

Between 0.209 inches and 0.226 inches

Second End Diameter:

0.7500 inches

Second End External Thread Length:

1.235 inches

Step Quantity:

8

Largest Step Diameter:

3.250 inches

Surface Finish:

32.0 microinches

Special Features:

Provided with 10b sae splines x 4.440 inch long at 3.955 inch from first end

Material:

Stainless steel

Material Specification:

Astm-a564, type: 630, condition: h1025, hf assn standard single material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A23200