NSN 3040-01-501-5680

Straight Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-501-5680

First End Style:

Unthreaded cross drilled

End Similarity:

Not identical

Second End Style:

Flat keyways and internally threaded

Overall Length:

7.630 inches

End Application:

Center/outboard tray lock/position pin assembly for seawolf class submarine ssn 23

First End Diameter:

Between 2.9980 inches and 3.0000 inches

First End Hole Diameter:

0.1200 inches

First End Distance From Hole Center To End:

1.380 inches

First End Hole Depth:

Between 0.964 inches and 0.975 inches

Second End Keyway Width:

Between 0.5060 inches and 0.5080 inches

Second End External Keyway Length:

Between 3.262 inches and 3.264 inches

Second End Keyway Depth:

Between 0.1790 inches and 0.1870 inches

Second End Diameter:

Between 2.9980 inches and 3.0000 inches

Second End Internal Thread Length:

3.450 inches

Surface Finish:

32.0 microinches

Product Name:

Pin, lock

Special Features:

Provided with internal 1.000-5 rh acme 2g threads

Material:

Stainless steel

Material Specification:

Astm-a564, type 630, condition h1150 assn standard single material response

Shelf Life:

N/a

Unit Of Measure:

--

NSN 3040-01-501-5680

Straight Shaft - Page 2 of 2

Demilitarization:

No

Fiig:

A23200

