

View Online at <https://aerobasegroup.com/nsn/3040-01-501-7753>

Body Material:

Aluminum alloy

Mounting Provision:

Link

Overall Height:

3.000 inches

Overall Width:

20.580 inches

End Application:

Rib high op. Hydraulic outboard motor seastar steering

First End Hole Diameter:

0.500 inches

Extended Length:

28.420 inches

Pressure Rating:

950.0 pounds per square inch

Integral Valve Operation Method:

Hydraulic

Design Characteristics:

Double acting single cylinder

First Piston Rod End Style:

Tongue type

Piston Rod End Similarity:

Not identical

Second Piston Rod End Style:

Internal threaded

Second Piston Rod End Thread Series Designator:

Unf

Second Piston Rod End Thread Diameter:

0.250 inches

Second Piston Rod End Thread Qty Per Inch (tpi):

28

Second Piston Rod End Thread Direction:

Right-hand

First End Fork Width:

0.875 inches

Mounting Type And Location:

Screw center section

Port Location And Quantity:

2 piston rod end

Port Style:

Gasket seal

Port Thread Series Designator:

Nptf

Port Thread Diameter:

0.250 inches

Port Thready Qty Per Inch (tpi):

28

Special Features:

Piston rod is one piece. Mounted with bracket

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A34200