NSN 3040-01-504-0608

Shouldered Shaft - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3040-01-504-0608

First End Style:
Splined (straight)
End Similarity:
Not identical
Second End Style:
Circular grooved and externally threaded
Second End Groove Width:
0.1200 inches
Second End Groove Diameter:
1.3600 inches
Overall Length:
17.620 inches
End Application:
Seawolf class submarine ssn 23
First End Diameter:
Between 1.4960 inches and 1.4980 inches
First End Spline Length:
3.000 inches
First End Spline Minor Diameter:
Between 1.2610 inches and 1.2660 inches
First End Spline Major Diameter:
Between 1.4960 inches and 1.4980 inches
Second End Distance From End To Groove:
1.070 inches
Second End Diameter:
1.5000 inches
Second End External Thread Length:
1.070 inches
Step Quantity:
7
First End Spline Quantity:
10
Largest Step Diameter:
2.250 inches
Surface Finish:
16.0 microinches
Product Name:
Shaft, gear, input
Special Features:
Next higher assembly: external athwartship drive handling external gearbox assembly. (gearbox assembly p/n 596-7410332-a2, nsn
3010-01-503-3377).
Material:

Nickel alloy k-500

NSN 3040-01-504-0608

Shouldered Shaft - Page 2 of 2



Material Specification:

Qq-n-286, form 2, cond-anl (cd): ah federal specification single material response

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A23200