## NSN 3040-01-533-4453

Shouldered Shaft - Page 1 of 2

First End Style: Rectangular End Similarity: Not identical

Second End Style:

Overall Length: 1.100 inches End Application:

C5 acft

Cross drilled hole and slotted



View Online at https://aerobasegroup.com/nsn/3040-01-533-4453

Second End Slot Width:
0.047 inches
First End Tongue Thickness:
Between 0.060 inches and 0.062 inches
First End Tongue Width:
Between 0.122 inches and 0.124 inches
First End Diameter:
Between 0.1870 inches and 0.1875 inches
Second End Diameter:
Between 0.1870 inches and 0.1875 inches
Second End Slot Depth:
0.060 inches
Second End Hole Diameter:
Between 0.0625 inches and 0.0650 inches
Second End Distance From Hole Center To End:
0.260 inches
Second End Hole Depth:
0.187 inches
Step Quantity:
4
Largest Step Diameter:
0.187 inches
First End Step Length:
0.160 inches
Product Name:
Shaft, linear actr, elmech, aft ramp c-5
Special Features:
Cross drilled hole is a through hole
Material:
Stainless steel
Material Specification:
Ams 5640 type1 303 cond ax (1/4) rnd bar assn standard single material response

## NSN 3040-01-533-4453

Shouldered Shaft - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A23200