

View Online at <https://aerobasegroup.com/nsn/3110-00-004-3166>

Thread Class:

3b

Thread Direction:

Right-hand

Shank Diameter:

0.4400 inches

Shank Style:

Internally threaded

Overall Length:

1.7800 inches

Bore Diameter:

0.1900 inches

Overall Outside Diameter:

0.8000 inches

Lubrication Material:

Grease

Shank Thread Length:

0.7500 inches

Outer Ring Width:

0.3500 inches

Inner Ring Width:

0.4370 inches

Length From Bore Center To Shank End:

1.3800 inches

Seal Quantity:

2

Shield Quantity:

2

Bearing Seal Type:

Contact

Alignment Type:

Self-aligning

Self-alignment Location:

Internal

Width Across Flats:

0.4400 inches

Thready Qty Per Inch (tpi):

24

Thread Size:

0.312 inches

Self-alignment Angle:

10.00 degrees

Special Features:

Cotter pin hole, 0.070 in. Dia, located 0.030 in. From end of shank, flush type lubrication filling

Lubrication Material Specification:

Mil-g-23827 military specification single material response

Material:

Steel snap ring

Material Specification:

Qq-s-763 federal specification single material response shield

Surface Treatment:

Cadmium all external/exposed metal surfaces

Surface Treatment Specification:

Qq-p-416, type 1, cl 2 federal specification single treatment response all external/exposed metal surfaces

Style Designator:

Single row, concave rollers

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-g-23827 spec.