

View Online at <https://aerobasegroup.com/nsn/3110-00-046-3472>

**Thread Class:**

3b

**Thread Direction:**

Right-hand

**Shank Diameter:**

0.6250 inches

**Shank Style:**

Internally threaded

**Overall Length:**

3.1590 inches

**Bore Diameter:**

Between 0.2495 inches and 0.2500 inches

**Overall Outside Diameter:**

1.5740 inches

**Lubrication Material:**

Grease

**Shank Thread Length:**

1.0000 inches

**Outer Ring Width:**

Between 0.3440 inches and 0.3540 inches

**Inner Ring Width:**

Between 0.4950 inches and 0.5000 inches

**Length From Bore Center To Shank End:**

2.3750 inches

**Seal Quantity:**

2

**Shield Quantity:**

2

**Bearing Seal Type:**

Contact

**Alignment Type:**

Self-aligning

**Self-alignment Location:**

Internal

**Thready Qty Per Inch (tpi):**

20

**Thread Size:**

0.437 inches

**Self-alignment Angle:**

10.00 degrees

**Lubrication Material Specification:**

Mil-g-23827 military specification single material response

**Material:**

Stainless steel shield

**Material Specification:**

Qq-a-225/9 federal specification single material response rod end body

**Surface Treatment:**

Cadmium shield

**Surface Treatment Specification:**

Qq-p-416, type 1, cl 2 federal specification single treatment response shield

**Style Designator:**

Single row, concave rollers

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A044a0

**Mil-std (military Standard):**

Mil-g-23827 spec.