

View Online at <https://aerobasegroup.com/nsn/3110-00-058-1663>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Shank Diameter:**

0.3750 inches

**Shank Style:**

Externally threaded

**Overall Length:**

2.3440 inches

**Bore Diameter:**

0.2500 inches

**Overall Outside Diameter:**

0.9380 inches

**Lubrication Material:**

Grease

**Shank Thread Length:**

1.1250 inches

**Outer Ring Width:**

0.4375 inches

**Inner Ring Width:**

0.5930 inches

**Length From Bore Center To Shank End:**

1.8750 inches

**Seal Quantity:**

2

**Bearing Seal Type:**

Contact

**Alignment Type:**

Self-aligning

**Self-alignment Location:**

Internal

**Thready Qty Per Inch (tpi):**

24

**Thread Size:**

0.375 inches

**Self-alignment Angle:**

10.00 degrees

**Special Features:**

0.980 in. W 0.670 in. Deep @keyway per nas 513, fill 40 to 50 pct with specified lubricant

**Lubrication Material Specification:**

Mil-g-23827 military specification single material response

**Material:**

Steel shaft

**Surface Treatment:**

Cadmium all external/exposed metal surfaces

**Style Designator:**

Double row, staggered, ball

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A044a0

**Mil-std (military Standard):**

Mil-g-23827 spec.