

View Online at <https://aerobasegroup.com/nsn/3110-00-061-2167>

Bore Diameter:

Between 0.3121 inches and 0.3127 inches

Overall Outside Diameter:

Between 0.9995 inches and 1.0015 inches

Lubrication Material:

Grease

Outer Ring Width:

Between 0.6200 inches and 0.6300 inches

Inner Ring Width:

Between 0.6775 inches and 0.6925 inches

Surface Finish:

Ground

Retainer Fabrication Method:

Pressed

Seal Quantity:

2

Bearing Seal Type:

Contact

Alignment Type:

Rigid

Special Features:

Optional seal material-nylon 101, fscm 31708; chrome thk 0.0004 in. On od, 0.0003 in. Sides of outer ring; 5 pct magnetic particle inspection mil-i-6868 except rollers

Lubrication Material Specification:

Mil-g-81322 military specification single material response

Material:

Steel comp e52100 roller

Material Specification:

Ams 6440 assn standard single material response roller or ams 6441 assn standard single material response roller

Surface Treatment:

Cadmium inner ring

Surface Treatment Specification:

Qq-p-416, type 1, cl 2 federal specification single treatment response inner ring

Style Designator:

Cam roller, hardened and ground, non-separable

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-g-81322 spec.