NSN 3110-00-076-2399



Needle Bearing Cam Follower - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3110-00-076-2399 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.4100 inches **Overall Length:** 1.4383 inches **Overall Outside Diameter:** 1.0000 inches **Lubrication Material:** Grease Stud Diameter: 0.4375 inches **Outer Ring Width:** 0.6250 inches Stud Length: 0.7820 inches **Seal Quantity: Bearing Seal Type:** Contact Thready Qty Per Inch (tpi): 20 **Thread Size:** 0.438 inches **Special Features:** Radial play 0.0003-0.0017 in. Keyway in stud 0.4440 in lg by 0.0927 in. W by 0.0484 in. Deep, 100 pct magnetic particle insp, inner stud zone hardened and extended portion of stud heat treated for tensile strenth of 160000 to 180000 psi, means for relubrication, nas516 grease fitting in thread end of stud **Lubrication Material Specification:** Mil-g-23827 military specification single material response Material: Steel roller **Surface Treatment:** Cadmium all external/exposed metal surfaces **Style Designator:** Cam follower **Thread Series Designator:** Unf

N/a

Shelf Life:

Unit Of Measure:

NSN 3110-00-076-2399

Needle Bearing Cam Follower - Page 2 of 2



Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-g-23827 spec.