NSN 3110-00-179-7349

A044a0

Cylindrical Roller Bearing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3110-00-179-7349
Overall Width:
Between 2.0750 inches and 2.0800 inches
Bore Diameter:
Between 4.5015 inches and 4.5031 inches
Overall Outside Diameter:
Between 5.2792 inches and 5.2800 inches
Surface Finish:
Ground
Retainer Fabrication Method:
Machined
Locating Feature:
Nonlocating
Internal Clearance:
0.0021 inches radial and 0.0033 inches radial
Special Features:
Mmax diameter variation per roller 0.00005 in., surface finish od of outerring and ring land riding 63 uin aa, raceways 10 uin aa, roller 4 uin
aa, faces 125 uin aa, 8 holes equally spaced 0.115 in. Min to 0.135 in. Maximum dia
Material:
Steel roller
Material Specification:
Fed-std-66 federal standard single material response retainer or 114rs213-3 mfr ref single material response retainer
Test Data Document:
51588-qcv1ps-2 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.). And 51588-qcv1pas-5 specification
(includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial
catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance
requirements and test conditions that are shown as "typical", "average", "", etc.). And 60380-tps20a5 specification (includes engineering
type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry
directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test
conditions that are shown as "typical", "average", "", etc.). And 60380-tps20a0 specification (includes engineering type bulletins,
brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar
trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown
as "typical", "average", "", etc.).
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: