

View Online at <https://aerobasegroup.com/nsn/3110-00-180-7672>

Shank Diameter:

Between 0.3720 inches and 0.3740 inches

Shank Style:

Solid

Overall Length:

2.3430 inches

Bore Diameter:

Between 0.2495 inches and 0.2500 inches

Overall Outside Diameter:

1.0620 inches

Lubrication Material:

Grease

Outer Ring Width:

Between 0.2190 inches and 0.2290 inches

Inner Ring Width:

Between 0.2760 inches and 0.2810 inches

Length From Bore Center To Shank End:

Between 1.8020 inches and 1.8220 inches

Seal Quantity:

2

Bearing Seal Type:

Contact

Alignment Type:

Self-aligning

Self-alignment Location:

Internal

Self-alignment Angle:

8.00 degrees

Lubrication Material Specification:

Mil-g-23827 military specification single material response

Material:

Steel comp e52100 outer ring

Material Specification:

Qq-a-225/9 federal specification single material response rod end body

Surface Treatment:

Cadmium outer ring

Surface Treatment Specification:

Qq-p-416, type 1 cl 2 federal specification single treatment response outer ring

Style Designator:

Double row, staggered, ball

Test Data Document:

81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-g-23827 spec.