

View Online at <https://aerobasegroup.com/nsn/3110-00-188-5665>

Bore Diameter:

Between 0.0935 inches and 0.0937 inches

Overall Outside Diameter:

Between 0.3748 inches and 0.3750 inches

Lubrication Material:

Grease

Outer Ring Width:

Between 0.2498 inches and 0.2500 inches

Inner Ring Width:

Between 0.2600 inches and 0.2750 inches

Surface Finish:

Ground

Shield Quantity:

2

Load Direction:

Angular

Bore Shape:

Straight

Standard Tolerance Designation:

Abec no. 7p

Special Features:

20.0 degree contact angle, duplexed pair

Lubrication Material:

Grease

Lubrication Material Specification:

Mil-g-81322 military specification single material response

Material:

Steel comp 302 or steel comp 304 or steel comp 304l or steel comp 305 or steel comp 309 or steel comp 310 or steel comp 316 or steel comp 316l or steel comp 317 or steel comp 321 or steel comp 347 or steel comp 303 or steel comp 303se or steel comp 322 or steel comp 324 shield

Material Specification:

Qq-s-763 federal specification all material responses shield

Style Designator:

Non-loading groove, non-separable

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A044a0

Mil-std (military Standard):

Mil-g-81322 spec.