

View Online at <https://aerobasegroup.com/nsn/3110-00-198-0252>

Thread Class:

3a

Thread Direction:

Right-hand

Shank Diameter:

0.5000 inches

Shank Style:

Externally threaded

Overall Length:

3.1070 inches

Bore Diameter:

Between 0.3120 inches and 0.3125 inches

Overall Outside Diameter:

Between 1.3600 inches and 1.4100 inches

Lubrication Material:

Grease

Shank Thread Length:

1.3400 inches

Outer Ring Width:

Between 0.4450 inches and 0.4600 inches

Inner Ring Width:

Between 0.6820 inches and 0.6870 inches

Length From Bore Center To Shank End:

Between 2.3950 inches and 2.4250 inches

Seal Quantity:

2

Shield Quantity:

2

Bearing Seal Type:

Contact

Alignment Type:

Self-aligning

Self-alignment Location:

Internal

Thready Qty Per Inch (tpi):

20

Thread Size:

0.500 inches

Self-alignment Angle:

10.00 degrees

Special Features:

Grease fitting located on lower half 45 degrees from horizontal center line

Lubrication Material Specification:

Mil-g-23827 military specification single material response

Material:

Steel snap ring

Material Specification:

Qq-s-763 federal specification single material response shield

Surface Treatment:

Cadmium all external/exposed metal surfaces

Style Designator:

Single row, concave rollers

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-g-23827 spec.