

View Online at <https://aerobasegroup.com/nsn/3110-00-249-5222>

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

Between 0.0460 inches and 0.4680 inches

Overall Length:

1.1093 inches

Overall Outside Diameter:

Between 0.7490 inches and 0.7510 inches

Lubrication Material:

Grease

Stud Diameter:

Between 0.3110 inches and 0.3120 inches

Outer Ring Width:

Between 0.3390 inches and 0.3440 inches

Stud Length:

Between 0.7190 inches and 0.7810 inches

Thready Qty Per Inch (tpi):

24

Thread Size:

0.312 inches

Special Features:

Extended portion of stud heat treated rc 36-4, 0.076 diameter hole in thd end located 0.109 in. From end, magnetic particle insp, internal diametral looseness 0.003 to 0.0013 in. Ma, nas-516-1 alemite fitting in flange end of stud

Lubrication Material Specification:

Mil-g-23827 military specification single material response

Material:

Steel end plate

Surface Treatment:

Cadmium all external/exposed metal surfaces

Surface Treatment Specification:

Qq-p-416 type 1 class 2 federal specification 2nd treatment response all external/exposed metal surfaces

Style Designator:

Cam follower

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A044a0

Mil-std (military Standard):

Mil-g-23827 spec.