

3110-00-271-0074

| Rod End Roller Bearing - Page 1 of |
|--|
| View Online at https://aerobasegroup.com/nsn/3 |
| Thread Class: |
| 3b |
| Thread Direction: |
| Right-hand |
| Shank Diameter: |
| 0.5000 inches |
| Shank Style: |
| Internally threaded |
| Overall Length: |
| 2.1960 inches |
| Bore Diameter: |
| 0.2500 inches |
| Overall Outside Diameter: |
| 1.0780 inches |
| Lubrication Material: |
| Grease |
| Shank Thread Length: |
| 0.8120 inches |
| Outer Ring Width: |
| 0.3580 inches |
| Inner Ring Width: |
| 0.5000 inches |
| Length From Bore Center To Shank End: |
| 1.6250 inches |
| Seal Quantity: |
| 2 |
| Bearing Seal Type: |
| Contact |
| Alignment Type: |
| Self-aligning |
| Self-alignment Location: |
| Internal |
| Width Across Flats: |
| 0.5000 inches |
| Thready Qty Per Inch (tpi): |
| 28 |
| Thread Size: |
| 0.250 inches |
| Self-alignment Angle: |
| 10.00 degrees |
| Special Features: |
| With grease fitting, drilled hole in shank |
| |

NSN 3110-00-271-0074

Rod End Roller Bearing - Page 2 of 2



Lubrication Material Specification:

Mil-g-23827 military specification single material response

Material:

Steel shaft

Surface Treatment:

Cadmium all external/exposed metal surfaces

Style Designator:

Single row, concave rollers

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-g-23827 spec.