

View Online at <https://aerobasegroup.com/nsn/3110-00-293-8338>

Thread Class:

3a

Thread Direction:

Right-hand

Shank Diameter:

0.7500 inches

Shank Style:

Externally threaded

Overall Length:

3.8440 inches

Bore Diameter:

0.3125 inches

Overall Outside Diameter:

1.4380 inches

Lubrication Material:

Grease

Shank Thread Length:

2.2190 inches

Outer Ring Width:

0.6560 inches

Inner Ring Width:

0.8120 inches

Length From Bore Center To Shank End:

3.1250 inches

Seal Quantity:

2

Bearing Seal Type:

Contact

Alignment Type:

Self-aligning

Self-alignment Location:

Internal

Thready Qty Per Inch (tpi):

16

Thread Size:

0.750 inches

Self-alignment Angle:

10.00 degrees

Special Features:

Carbolize outer ring at race point

Lubrication Material Specification:

Mil-g-23827 military specification single material response

Material:

Steel shaft

Surface Treatment:

Cadmium all external/exposed metal surfaces

Style Designator:

Single row, concave rollers

Thread Series Designator:

Unf

Specification Data:

80205-nas659 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A044a0

Mil-std (military Standard):

Mil-g-23827 spec.