

View Online at <https://aerobasegroup.com/nsn/3110-00-293-8495>

Thread Class:

3a

Thread Direction:

Right-hand

Shank Diameter:

0.8750 inches

Shank Style:

Externally threaded

Overall Length:

5.1650 inches

Bore Diameter:

0.5000 inches

Overall Outside Diameter:

2.2700 inches

Lubrication Material:

Grease

Shank Thread Length:

2.3100 inches

Outer Ring Width:

0.7200 inches

Inner Ring Width:

1.0620 inches

Length From Bore Center To Shank End:

4.0300 inches

Seal Quantity:

2

Bearing Seal Type:

Contact

Alignment Type:

Self-aligning

Self-alignment Location:

Internal

Thready Qty Per Inch (tpi):

14

Thread Size:

0.875 inches

Self-alignment Angle:

10.00 degrees

Special Features:

2 flush type grease fittings, 0.1900 in. W keyway in shank, 0.375 in. Dia hole in shank, min static fracture radial strength 21800 lbs

Lubrication Material Specification:

Mil-g-23827 military specification single material response

Material:

Steel shaft

Surface Treatment:

Cadmium all external/exposed metal surfaces

Style Designator:

Single row, concave rollers

Thread Series Designator:

Uns

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A044a0

Mil-std (military Standard):

Mil-g-23827 spec.