
NSN 3110-00-306-3589

Rod End Roller Bearing - Page 1 of 2





Thread Class:
3a
Thread Direction:
Right-hand
Shank Diameter:
Between 0.6160 inches and 0.6250 inches
Shank Style:
Internally threaded
Overall Length:
4.6230 inches
Bore Diameter:
0.5000 inches
Overall Outside Diameter:
2.1260 inches
Lubrication Material:
Grease
Shank Thread Length:
Between 1.2590 inches and 1.2620 inches
Outer Ring Width:
0.6560 inches
Inner Ring Width:
0.7500 inches
Length From Bore Center To Shank End:
3.5600 inches
Alignment Type:
Rigid
Self-alignment Location:
Internal
Features Provided:
Aligning ring
Thready Qty Per Inch (tpi):
18
Thread Size:
0.625 inches
Self-alignment Angle:
30.00 degrees
Lubrication Material Specification:
Mil-g-23827 military specification single material response
Material:
Steel comp 4130
Material Specification:
Mil-s-6758, c4 military specification single material response

NSN 3110-00-306-3589

Rod End Roller Bearing - Page 2 of 2

Style Designator:

Double row, staggered, ball

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-g-23827 spec.

