

View Online at <https://aerobasegroup.com/nsn/3110-00-332-9102>

**Lug Quantity:**

2

**Cross Sectional Shape:**

Raised surface w/ aperture

**Outside Diameter:**

0.800 inches

**Mounting Hole Diameter:**

Between 0.166 inches and 0.175 inches

**Aperture Diameter:**

Between 0.480 inches and 0.520 inches

**Mounting Hole Arrangement Style:**

Vertical centerline

**Distance Between Holes Along Width:**

0.920 inches

**Overall Thickness:**

0.130 inches

**Lug Width:**

0.380 inches

**Countersink Diameter:**

Between 0.275 inches and 0.305 inches

**Raised Surface Height:**

Between 0.045 inches and 0.055 inches

**Countersink Angle:**

Between 99.0 degrees and 101.0 degrees

**Distance From Horizontal Centerline To Center Of Lower Hole:**

0.460 inches

**Mounting Hole Type:**

Round, unthreaded, countersunk

**Radius From Center Of Plate To End Of Lug:**

0.650 inches

**Outside Raised Surface Diameter:**

Between 0.620 inches and 0.624 inches

**Material:**

Aluminum alloy 6061 or aluminum alloy a356.0

**Material Specification:**

Qq-a-225/8 federal specification 1st material response or mil-a-21180 military specification 2nd material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625 military specification single treatment response

**Style Designator:**

Round with lugs

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A093a0

**Mil-std (military Standard):**

Mil-a-21180 spec.