

View Online at <https://aerobasegroup.com/nsn/3110-00-332-9102>

Lug Quantity:

2

Cross Sectional Shape:

Raised surface w/ aperture

Outside Diameter:

0.800 inches

Mounting Hole Diameter:

Between 0.166 inches and 0.175 inches

Aperture Diameter:

Between 0.480 inches and 0.520 inches

Mounting Hole Arrangement Style:

Vertical centerline

Distance Between Holes Along Width:

0.920 inches

Overall Thickness:

0.130 inches

Lug Width:

0.380 inches

Countersink Diameter:

Between 0.275 inches and 0.305 inches

Raised Surface Height:

Between 0.045 inches and 0.055 inches

Countersink Angle:

Between 99.0 degrees and 101.0 degrees

Distance From Horizontal Centerline To Center Of Lower Hole:

0.460 inches

Mounting Hole Type:

Round, unthreaded, countersunk

Radius From Center Of Plate To End Of Lug:

0.650 inches

Outside Raised Surface Diameter:

Between 0.620 inches and 0.624 inches

Material:

Aluminum alloy 6061 or aluminum alloy a356.0

Material Specification:

Qq-a-225/8 federal specification 1st material response or mil-a-21180 military specification 2nd material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

Style Designator:

Round with lugs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A093a0

Mil-std (military Standard):

Mil-a-21180 spec.