

View Online at <https://aerobasegroup.com/nsn/3110-00-426-1193>

Bore Diameter:

0.7874 inches

Overall Outside Diameter:

1.6535 inches

Outer Ring Width:

0.4644 inches

Inner Ring Width:

0.5856 inches

Surface Finish:

Ground

Retainer Fabrication Method:

Machined

Load Direction:

Radial

Bore Shape:

Straight

Internal Clearance:

0.0070 inches axial and 0.0110 inches axial and 0.0014 inches radial and 0.0021 inches radial

Standard Tolerance Designation:

Abec no.5

Special Features:

Stabilized for operation at 600 degrees f, fractured outer ring w/4 retaining rings, puller groove located 0.040 to 0.060 in. From end of extended ring 0.040 in. W and depth

Material:

Steel retainer

Material Specification:

Ams6490, 81343 military standard single material response inner ring

Precious Material And Location:

Retainer silver

Precious Material:

Silver

Style Designator:

Non-loading groove, non-separable

Test Data Document:

73342-aeis15 15 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). And 73342-aeis10aa03 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). And 73342-aeis11aa69 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). And 73342-aeis15aa22 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).