

View Online at <https://aerobasegroup.com/nsn/3110-00-500-3541>

Bore Diameter:

Between 3.9990 inches and 4.0000 inches

Overall Outside Diameter:

Between 5.3430 inches and 5.3440 inches

Lubrication Material:

Grease

Outer Ring Width:

Between 1.2450 inches and 1.2500 inches

Inner Ring Width:

Between 1.3390 inches and 1.3440 inches

Retainer Fabrication Method:

Machined

Seal Quantity:

2

Shield Quantity:

2

Bearing Seal Type:

Contact

Special Features:

5000 to 7000 lbs preload, 8 lubrication holes and one lubrication groove in od of outer ring, operating temp range minus 65 degrees f to 500 degrees f, 1-1/2 degrees self alignment in either direction

Lubrication Material Specification:

Mil-g-81322 military specification single material response

Material:

Stainless steel shield

Material Specification:

Mil-s-7420 military specification single material response roller

Surface Treatment:

Cadmium all external/exposed metal surfaces

Surface Treatment Specification:

Qq-p-416, type 1, cl 2 federal specification single treatment response all external/exposed metal surfaces

Style Designator:

Concave rollers, double closure, self aligning

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-g-81322 spec.