

View Online at <https://aerobasegroup.com/nsn/3110-00-508-6969>

**Shank Diameter:**

Between 0.6230 inches and 0.6250 inches

**Shank Style:**

Hollow

**Overall Length:**

2.3600 inches

**Bore Diameter:**

Between 0.2495 inches and 0.2500 inches

**Overall Outside Diameter:**

Between 0.9200 inches and 0.9700 inches

**Lubrication Material:**

Grease

**Outer Ring Width:**

Between 0.3450 inches and 0.3600 inches

**Inner Ring Width:**

Between 0.5880 inches and 0.5930 inches

**Length From Bore Center To Shank End:**

Between 1.8600 inches and 1.8900 inches

**Shank Bore Diameter:**

0.3860 inches

**Shank Bore Depth:**

1.2850 inches

**Seal Quantity:**

2

**Shield Quantity:**

2

**Bearing Seal Type:**

Contact

**Alignment Type:**

Self-aligning

**Self-alignment Location:**

Internal

**Self-alignment Angle:**

15.00 degrees

**Special Features:**

With means for relubrication; unthreaded plain shank hollow

**Lubrication Material Specification:**

Mil-g-23827 military specification single material response

**Material:**

Steel snap ring

**Material Specification:**

Aisi 4620 assn standard single material response rod end body

**Surface Treatment:**

Cadmium all external/exposed metal surfaces

**Surface Treatment Specification:**

Qq-p-416, type 1, cl 2 federal specification single treatment response all external/exposed metal surfaces

**Style Designator:**

Single row, concave rollers

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A044a0

**Mil-std (military Standard):**

Mil-g-23827 spec.