

View Online at <https://aerobasegroup.com/nsn/3110-00-518-5105>

**Shank Diameter:**

Between 0.4980 inches and 0.5000 inches

**Shank Style:**

Hollow

**Overall Length:**

3.3190 inches

**Bore Diameter:**

Between 0.3120 inches and 0.3125 inches

**Overall Outside Diameter:**

Between 1.2980 inches and 1.3480 inches

**Lubrication Material:**

Grease

**Outer Ring Width:**

Between 0.3250 inches and 0.3400 inches

**Inner Ring Width:**

Between 0.5530 inches and 0.5580 inches

**Length From Bore Center To Shank End:**

Between 2.6300 inches and 2.6600 inches

**Shank Bore Diameter:**

0.3750 inches

**Shank Bore Depth:**

1.0500 inches

**Seal Quantity:**

2

**Shield Quantity:**

2

**Bearing Seal Type:**

Contact

**Alignment Type:**

Self-aligning

**Self-alignment Location:**

Internal

**Self-alignment Angle:**

9.00 degrees

**Special Features:**

With means for relubrication

**Lubrication Material Specification:**

Mil-g-23827 military specification single material response

**Material:**

Stainless steel shield

**Material Specification:**

66matt2bpdst4620 federal standard single material response inner ring

**Surface Treatment:**

Cadmium all external/exposed metal surfaces

**Surface Treatment Specification:**

Qq-p-416, type 1, cl 2 federal specification single treatment response all external/exposed metal surfaces

**Style Designator:**

Single row, concave rollers

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A044a0

**Mil-std (military Standard):**

Mil-g-23827 spec.