

View Online at <https://aerobasegroup.com/nsn/3110-00-902-9318>

**Bore Diameter:**

Between 0.2500 inches and 0.2503 inches

**Lubrication Material:**

Grease

**Flange Outside Diameter:**

0.6870 inches

**End Application:**

Supply class aoe; aircraft, (ac-130h, mc-130h, ec-130e, hc-130); spruance class dd (963); seawolf class ssn; ticonderoga class cg (47); oliver perry class ffg; sturgeon class ssn (637); los angeles class ssn (688); austin ship class lpd-4 amphibious transport docks; fms - knox class ff

**Flange Width:**

0.0420 inches

**Outer Ring Width:**

0.2260 inches

**Inner Ring Width:**

0.2500 inches

**Outer Ring Outside Diameter:**

Between 0.6253 inches and 0.6257 inches

**Surface Finish:**

Ground

**Retainer Fabrication Method:**

Pressed

**Shield Quantity:**

2

**Load Direction:**

Radial

**Bore Shape:**

Straight

**Internal Clearance:**

0.0002 inches radial and 0.0005 inches radial

**Lubrication Material Specification:**

Mil-g-23827 military specification single material response

**Material:**

Stainless steel

**Style Designator:**

Non-loading groove, non-separable

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A044a0

**Mil-std (military Standard):**

Mil-g-23827 spec.