

View Online at <https://aerobasegroup.com/nsn/3110-00-944-6738>

Counterbore Diameter:

Between 2.250 inches and 2.252 inches

Counterbore Depth:

0.260 inches

Width:

Between 3.495 inches and 3.515 inches

Length:

Between 3.495 inches and 3.515 inches

Mounting Hole Diameter:

Between 0.280 inches and 0.296 inches

Aperture Diameter:

Between 1.850 inches and 1.851 inches

Mounting Hole Arrangement Style:

Single bolt hole circle

Bolt Circle Hole Quantity:

3

Overall Thickness:

Between 0.100 inches and 0.110 inches

Mounting Bolt Circle Diameter:

3.125 inches

Raised Surface Height:

Between 1.130 inches and 1.150 inches

Mounting Hole Type:

Round, unthreaded

First Raised Surface Outside Diameter:

Between 2.499 inches and 2.500 inches

Special Features:

Groove on od 0.104 in.W by 2.400 in.Dia 0.080 in.From flange, 2nd groove on od 0.620 in.W by 2.060 in.Dia 0.280 in.From flange, right internal flange 1.600 in.Dia 0.090 in.W, three equally spaced slots 0.375 in.Dia end milled on right od 7 degrees right of mtg holes, three equally spaced slots 0.375 in.Dia end milled left side id 7 degrees left side id 7 degrees left of mtg holes; raised surface feature: included; aperture shape: round and included; aperture type: counterbored; material: cres, ams 5342 comp 17-4ph; shape: special

Surface Treatment:

Passivate

Test Data Document:

81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A093a0