

View Online at <https://aerobasegroup.com/nsn/3110-00-973-8282>

Shank Diameter:

Between 0.4340 inches and 0.4360 inches

Shank Style:

Solid

Overall Length:

2.7810 inches

Bore Diameter:

Between 0.2495 inches and 0.2500 inches

Overall Outside Diameter:

1.0620 inches

Lubrication Material:

Grease

Outer Ring Width:

Between 0.2190 inches and 0.2290 inches

Inner Ring Width:

Between 0.2760 inches and 0.2810 inches

Length From Bore Center To Shank End:

2.2500 inches

Shield Quantity:

2

Alignment Type:

Self-aligning

Self-alignment Location:

Internal

Self-alignment Angle:

8.00 degrees

Special Features:

Single row of balls

Lubrication Material Specification:

Mil-g-23827 military specification single material response

Material:

Stainless steel shield

Material Specification:

Qq-a-200/2 federal specification single material response rod end body

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 1, cl 2 federal specification single treatment response

Style Designator:

Double row, staggered, ball

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A044a0

Mil-std (military Standard):

Mil-g-23827 spec.