

View Online at <https://aerobasegroup.com/nsn/3110-01-044-0833>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.3590 inches

**Overall Length:**

Between 2.1360 inches and 2.1880 inches

**Overall Outside Diameter:**

Between 0.8745 inches and 0.8760 inches

**Lubrication Material:**

Grease

**Stud Diameter:**

0.3750 inches

**Outer Ring Width:**

Between 0.4640 inches and 0.4690 inches

**Stud Length:**

Between 1.6560 inches and 1.7030 inches

**Seal Quantity:**

2

**Bearing Seal Type:**

Contact

**Thready Qty Per Inch (tpi):**

24

**Thread Size:**

0.375 inches

**Special Features:**

Nas516-1 grease fitting roller end, drilled hole in stud 0.106 in. Min 0.116 in. Maximum diameter located 0.140 in. From stud end

**Lubrication Material Specification:**

Mil-g-81322 military specification single material response

**Material:**

Steel comp e52100 stud or steel comp 1117 stud

**Material Specification:**

Astm a108 assn standard single material response end plate

**Surface Treatment:**

Cadmium exposed surfaces as mounted

**Surface Treatment Specification:**

Qq-p-416, type 1, cl 2 federal specification single treatment response exposed surfaces as mounted

**Style Designator:**

Cam follower

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A044a0

**Mil-std (military Standard):**

Mil-g-81322 spec.