

View Online at <https://aerobasegroup.com/nsn/3110-01-047-8509>

**Thread Class:**

3b

**Thread Direction:**

Right-hand

**Shank Diameter:**

0.4375 inches

**Shank Style:**

Internally threaded w/hexagon end

**Overall Length:**

1.7655 inches

**Bore Diameter:**

0.18985 inches

**Overall Outside Diameter:**

0.7810 inches

**Lubrication Material:**

Grease

**Shank Thread Length:**

0.7495 inches

**Outer Ring Width:**

0.3280 inches

**Inner Ring Width:**

0.4345 inches

**Length From Bore Center To Shank End:**

1.3750 inches

**Seal Quantity:**

2

**Bearing Seal Type:**

Contact

**Alignment Type:**

Self-aligning

**Self-alignment Location:**

Internal

**Width Across Flats:**

0.4375 inches

**Thready Qty Per Inch (tpi):**

24

**Thread Size:**

0.3125 inches

**Self-alignment Angle:**

10.00 degrees

**Special Features:**

Locking slot per nas 513 required per suffix c to the dash number; steel corrosion resistant aisi 301 seal retainers

**Lubrication Material Specification:**

Mil-g-81322 military specification single material response

**Material:**

Steel comp e52100 inner ring

**Material Specification:**

Mil-s-7420 military specification single material response inner ring

**Surface Treatment:**

Cadmium all external/exposed metal surfaces

**Surface Treatment Specification:**

Qq-p-416, cl 2 federal specification single treatment response all external/exposed metal surfaces

**Style Designator:**

Double row, staggered, ball

**Thread Series Designator:**

Unjf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A044a0

**Mil-std (military Standard):**

Mil-g-81322 spec.