NSN 3110-01-076-5305

Annular Ball Bearing - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3110-01-076-5305

| Overall Width: | | | | | |
|--|--|--|--|--|--|
| Between 0.1240 inches and 0.1250 inches | | | | | |
| Bore Diameter: | | | | | |
| Between 0.1560 inches and 0.1562 inches | | | | | |
| Lubrication Material: | | | | | |
| Oil | | | | | |
| Flange Outside Diameter: | | | | | |
| Between 0.3580 inches and 0.3590 inches | | | | | |
| End Application: | | | | | |
| 1pl 16mm camera photo sonics | | | | | |
| Flange Width: | | | | | |
| Between 0.0350 inches and 0.0360 inches | | | | | |
| Outer Ring Outside Diameter: | | | | | |
| Between 0.3123 inches and 0.3125 inches | | | | | |
| Surface Finish: | | | | | |
| Ground | | | | | |
| Retainer Fabrication Method: | | | | | |
| Wire formed | | | | | |
| Seal Quantity: | | | | | |
| 2 | | | | | |
| Shield Quantity: | | | | | |
| 2 | | | | | |
| Bearing Seal Type: | | | | | |
| Contact | | | | | |
| Load Direction: | | | | | |
| Radial | | | | | |
| Bore Shape: | | | | | |
| Straight | | | | | |
| Internal Clearance: | | | | | |
| 0.0002 inches radial and 0.0004 inches radial | | | | | |
| Standard Tolerance Designation: | | | | | |
| Abec no. 5p | | | | | |
| Lubrication Material Specification: | | | | | |
| Mil-I-6085 military specification single material response | | | | | |
| Material: | | | | | |
| Steel comp 440c | | | | | |
| Material Specification: | | | | | |
| 66 federal standard single material response | | | | | |
| Style Designator: | | | | | |
| Shouldered inner ring, separable | | | | | |
| Shelf Life: | | | | | |
| N/a | | | | | |
| 1.00 | | | | | |

NSN 3110-01-076-5305

Annular Ball Bearing - Page 2 of 2



| | ι | Jn | it | Of | Measure: |
|--|---|----|----|----|----------|
|--|---|----|----|----|----------|

--

Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-I-6085 spec.