NSN 3110-01-096-9229

Outer Bearing Ring - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3110-01-096-9229

Overall Width: 1.4500 inches Overall Outside Diameter: Between 1.7710 inches and 1.7720 inches Largest Bore Diameter: Between 1.6536 inches and 1.6546 inches Surface Finish: Ground Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response or ams 6323 assn standard single material response or ams 6324 assn standard single material response Surface Treatment: Oxide Surface Treatment Specification: Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	
Overall Outside Diameter: Between 1.7710 inches and 1.7720 inches Largest Bore Diameter: Between 1.6536 inches and 1.6546 inches Surface Finish: Ground Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response or ams 6323 assn standard single material response or ams 6324 assn standard single material response Surface Treatment: Oxide Surface Treatment Specification: Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	
Between 1.7710 inches and 1.7720 inches Largest Bore Diameter: Between 1.6536 inches and 1.6546 inches Surface Finish: Ground Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response or ams 6323 assn standard single material response or ams 6324 assn standard single material response Surface Treatment: Oxide Surface Treatment Specification: Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: — Demilitarization: No Fig:	
Largest Bore Diameter: Between 1.6536 inches and 1.6546 inches Surface Finish: Ground Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response or ams 6323 assn standard single material response or ams 6324 assn standard single material response Surface Treatment: Oxide Surface Treatment Specification: Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: — Demilitarization: No Fig:	
Between 1.6536 inches and 1.6546 inches Surface Finish: Ground Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response or ams 6323 assn standard single material response or ams 6324 assn standard single material response Surface Treatment: Oxide Surface Treatment Specification: Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	
Surface Finish: Ground Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response or ams 6323 assn standard single material response or ams 6324 assn standard single material response Surface Treatment: Oxide Surface Treatment Specification: Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig:	
Ground Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response or ams 6323 assn standard single material response or ams 6324 assn standard single material response Surface Treatment: Oxide Surface Treatment Specification: Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	
Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response or ams 6323 assn standard single material response or ams 6324 assn standard single material response or ams 63	
Steel comp 8740 Material Specification: Ams 6322 assn standard single material response or ams 6323 assn standard single material response or ams 6324 assn s	
Material Specification: Ams 6322 assn standard single material response or ams 6323 assn standard single material response or ams 6324 assn standard single material response or ams 6323 assn standard single material response or ams 6324 assn standard single material response or ams 6324 assn standard single ma	
Ams 6322 assn standard single material response or ams 6323 assn standard single material response or ams 6324 assn standard single material response Surface Treatment: Oxide Surface Treatment Specification: Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
material response Surface Treatment: Oxide Surface Treatment Specification: Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
Surface Treatment: Oxide Surface Treatment Specification: Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	ingl
Oxide Surface Treatment Specification: Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
Surface Treatment Specification: Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
Ams 2485 assn standard single treatment response Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
Style Designator: Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
Outer ring, roller, single lip Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	
N/a Unit Of Measure: Demilitarization: No Fiig:	
Unit Of Measure: Demilitarization: No Fiig:	
Demilitarization: No Fiig:	
No Fiig:	
No Fiig:	
Fiig:	
A044a0	
a0	