

View Online at <https://aerobasegroup.com/nsn/3110-01-110-5416>

Overall Width:

0.2220 inches

Bore Diameter:

0.1575 inches

Overall Outside Diameter:

0.6299 inches

Lubrication Material:

Grease

Calibration Designator:

C0x

Surface Finish:

Ground

Retainer Fabrication Method:

Machined

Shield Quantity:

1

Load Direction:

Angular

Bore Shape:

Straight

Internal Clearance:

0.0008 inches radial and 0.0016 inches radial

Criticality Code Justification:

Abmk and agyc and test

Contact Angle:

15.0 degrees

Lubrication Material Specification:

Unitemp 500, fscm 59595 mfr ref single material response

Material:

Steel comp e52100 outer ring

Material Specification:

Aisi assn standard single material response shield

Style Designator:

Shouldered inner ring, separable

Test Data Document:

70854-ora specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Or 70854-v11 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

Fig:

A044a0