

View Online at <https://aerobasegroup.com/nsn/3110-01-132-9865>

Bore Diameter:

Between 0.8748 inches and 0.8750 inches

Overall Outside Diameter:

Between 1.3121 inches and 1.3125 inches

Lubrication Material:

Oil

Outer Ring Width:

Between 0.2450 inches and 0.2500 inches

Inner Ring Width:

Between 0.2760 inches and 0.2810 inches

Load Direction:

Radial

Standard Tolerance Designation:

Abec no. 5t

Special Features:

Light film of specified lubricant; bearing construction may be either fractured outer ring w/o loading groove or cylindrical outer ring w/ loading groove

Lubrication Material Specification:

Hms 20-2164, type 1, gr b, fscm 82577 mfr ref single material response

Material:

Steel comp 440c

Material Specification:

Qq-s-763 federal specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Single row, torque tube type, w/or w/o closure

Test Data Document:

81348-qq-p-35, para 4.4.3 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A044a0