

View Online at <https://aerobasegroup.com/nsn/3110-01-132-9865>

**Bore Diameter:**

Between 0.8748 inches and 0.8750 inches

**Overall Outside Diameter:**

Between 1.3121 inches and 1.3125 inches

**Lubrication Material:**

Oil

**Outer Ring Width:**

Between 0.2450 inches and 0.2500 inches

**Inner Ring Width:**

Between 0.2760 inches and 0.2810 inches

**Load Direction:**

Radial

**Standard Tolerance Designation:**

Abec no. 5t

**Special Features:**

Light film of specified lubricant; bearing construction may be either fractured outer ring w/o loading groove or cylindrical outer ring w/ loading groove

**Lubrication Material Specification:**

Hms 20-2164, type 1, gr b, fscm 82577 mfr ref single material response

**Material:**

Steel comp 440c

**Material Specification:**

Qq-s-763 federal specification single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Style Designator:**

Single row, torque tube type, w/or w/o closure

**Test Data Document:**

81348-qq-p-35, para 4.4.3 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A044a0