NSN 3110-01-136-8366

Needle Bearing Cam Follower - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/3110-01-136-8366 |
|---|
| Thread Class: |
| 3a |
| Thread Direction: |
| Right-hand |
| Thread Length: |
| 0.3590 inches |
| Overall Length: |
| 2.1405 inches |
| Overall Outside Diameter: |
| 0.7500 inches |
| Lubrication Material: |
| Grease |
| Stud Diameter: |
| 0.3120 inches |
| Outer Ring Width: |
| 0.3440 inches |
| Stud Length: |
| 1.7965 inches |
| Seal Quantity: |
| 2 |
| Bearing Seal Type: |
| Contact |
| Thready Qty Per Inch (tpi): |
| 24 |
| Thread Size: |
| 0.312 inches |
| Special Features: |
| Lubricator in flanged end of stud |
| Lubrication Material Specification: |
| Mil-g-23827 military specification single material response |
| Material: |
| Steel comp e52100 stud |
| Material Specification: |
| 66 federal standard single material response outer ring |
| Surface Treatment: |
| Cadmium exposed surfaces as mounted |
| Surface Treatment Specification: |
| Qq-p-416, type 1, cl 2 federal specification single treatment response exposed surfaces as mounted |
| Style Designator: |
| Cam follower |
| Test Data Document: |
| 81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |

format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 3110-01-136-8366

Needle Bearing Cam Follower - Page 2 of 2



| Inread Series Designator: |
|---|
| Unjf |
| Specification Data: |
| 80205-nas562 professional/industrial association standard |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A044a0 |
| Mil-std (military Standard): |

Mil-g-23827 spec.