

View Online at <https://aerobasegroup.com/nsn/3110-01-143-5093>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

0.6250 inches

**Overall Length:**

Between 2.0100 inches and 2.0520 inches

**Overall Outside Diameter:**

Between 1.2495 inches and 1.2520 inches

**Lubrication Material:**

Grease

**Stud Diameter:**

Between 0.7500 inches and 0.7510 inches

**Outer Ring Width:**

Between 0.7450 inches and 0.7550 inches

**Stud Length:**

Between 1.2340 inches and 1.2660 inches

**Seal Quantity:**

2

**Bearing Seal Type:**

Contact

**Thready Qty Per Inch (tpi):**

16

**Thread Size:**

0.750 inches

**Special Features:**

80 pct full of specified lubricant; stud drilled and tapped for relubrication; w/ hexagon drive hole

**Lubrication Material Specification:**

Mil-g-23827 military specification single material response

**Material:**

Steel comp e52100 stud

**Material Specification:**

L-p-392 federal specification single material response seal

**Surface Treatment:**

Cadmium exposed surfaces as mounted

**Surface Treatment Specification:**

Qq-p-416, type 1, cl 2 federal specification single treatment response exposed surfaces as mounted

**Style Designator:**

Cam follower

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A044a0

**Mil-std (military Standard):**

Mil-g-23827 spec.