

View Online at <https://aerobasegroup.com/nsn/3110-01-148-6825>

Shank Diameter:

Between 0.6230 inches and 0.6250 inches

Shank Style:

Solid

Overall Length:

2.3440 inches

Bore Diameter:

Between 0.2497 inches and 0.2500 inches

Overall Outside Diameter:

0.9380 inches

Lubrication Material:

Grease

Outer Ring Width:

0.4380 inches

Inner Ring Width:

Between 0.5880 inches and 0.5930 inches

Length From Bore Center To Shank End:

1.8750 inches

Shank Bore Diameter:

0.3860 inches

Shank Bore Depth:

1.2190 inches

Seal Quantity:

2

Bearing Seal Type:

Contact

Alignment Type:

Self-aligning

Self-alignment Location:

External

Self-alignment Angle:

10.00 degrees

Special Features:

Shank void filled w/ epoxy resin

Lubrication Material Specification:

Mil-g-81322 military specification single material response

Material:

Steel comp 8620 rod end body

Material Specification:

Mil-s-7420 military specification single material response outer ring

Surface Treatment:

Cadmium exposed surfaces as mounted

Surface Treatment Specification:

Qq-p-416, type 1, cl 2 federal specification single treatment response exposed surfaces as mounted

Style Designator:

Double row, staggered, ball

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-g-81322 spec.