

View Online at <https://aerobasegroup.com/nsn/3110-01-171-9436>

Bore Diameter:

Between 1.3745 inches and 1.3750 inches

Overall Outside Diameter:

Between 1.8750 inches and 1.8755 inches

Lubrication Material:

Grease

End Application:

Bendix detecting-ranging set, sonar, model an/aqs-13

Outer Ring Width:

Between 0.5550 inches and 0.5650 inches

Inner Ring Width:

Between 0.6200 inches and 0.6250 inches

Surface Finish:

Ground

Retainer Fabrication Method:

Stamped

Shield Quantity:

2

Load Direction:

Radial

Bore Shape:

Straight

Internal Fit-up Designation:

Standard

Internal Fit-up Contact Angular Direction:

Primarily radial

Bearing Preload Rating:

1800.0 pounds

Functional Description:

Preloaded pair face to face

Lubrication Material Specification:

Mil-g-23827 military specification single material response

Material:

Steel comp e52100 outer ring

Material Specification:

Sae j404 assn standard all material responses

Reference Data And Literature:

Mfr gen eng cat 3-350-81

Style Designator:

30a non-loading groove, non-separable

Type/model Designation:

Dfss

Specification Data:

77068-3153601 manufacturers specification control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A044a0

Mil-std (military Standard):

Mil-g-23827 spec.