

View Online at <https://aerobasegroup.com/nsn/3110-01-182-4590>

Cross Sectional Shape:

Counterbored w/ aperture

Outside Diameter:

Between 3.360 inches and 3.380 inches

Minor Thickness:

0.070 inches

Mounting Hole Diameter:

Between 0.296 inches and 0.303 inches

Aperture Diameter:

2.953 inches

Overall Thickness:

Between 0.475 inches and 0.500 inches

End Application:

Aircraft eng f-101

Hardness Rating:

Between 26.0 rockwell c and 32.0 rockwell c

Counterbore Diameter:

Between 2.680 inches and 2.720 inches

Counterbore Depth:

Between 0.405 inches and 0.430 inches

Mounting Hole Type:

Round, unthreaded

Special Features:

Tfour tabs 0.660 in. Min 0.700 in. Maximum located on 4.440 dbc; magnetic particle insp per ams-2640; personnel qualification per military standard 410 reqd; process shall be fluorescent and continuous with 5 gauss maximum residual magnetism allowed

Material:

Steel comp 4340

Surface Treatment:

Oxide

Surface Treatment Specification:

Ams-2485 assn standard single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A093a0