

View Online at <https://aerobasegroup.com/nsn/3110-01-186-3508>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.3590 inches

**Overall Length:**

1.3340 inches

**Overall Outside Diameter:**

Between 0.8745 inches and 0.8760 inches

**Lubrication Material:**

Grease

**Stud Diameter:**

Between 0.3735 inches and 0.3750 inches

**Outer Ring Width:**

Between 0.4640 inches and 0.4690 inches

**Stud Length:**

0.8590 inches

**Seal Quantity:**

2

**Bearing Seal Type:**

Contact

**Alignment Type:**

Rigid

**Features Provided:**

Flush lubrication fitting

**Thready Qty Per Inch (tpi):**

24

**Thread Size:**

0.375 inches

**Standard Tolerance Designation:**

Afbma standard tolerance for can follwer needle bearing

**Special Features:**

Nas516-1 lubrication fitting in threaded end of stud

**Lubrication Material Specification:**

Mil-g-23827 military specification single material response

**Material:**

Steel end plate

**Material Specification:**

Sae assn standard single material response stud

**Surface Treatment:**

Cadmium exposed surfaces of stud and washer as mounted

**Surface Treatment Specification:**

Qq-p-416, type 1, class 2 federal specification single treatment response exposed surfaces of stud and washer as mounted

**Style Designator:**

Cam follower

**Thread Series Designator:**

Unjf

**Specification Data:**

80205-nas562 professional/industrial association standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A044a0

**Mil-std (military Standard):**

Mil-g-23827 spec.