

View Online at <https://aerobasegroup.com/nsn/3110-01-207-6908>

Cross Sectional Shape:

Recessed w/ aperture

Outside Diameter:

Between 2.040 inches and 2.060 inches

Minor Thickness:

Between 0.587 inches and 0.593 inches

Recess Diameter:

Between 1.100 inches and 1.120 inches

Recess Depth:

Between 0.380 inches and 0.410 inches

Body Diameter:

Between 1.100 inches and 1.120 inches

Mounting Hole Diameter:

Between 0.192 inches and 0.210 inches

Aperture Diameter:

Between 1.100 inches and 1.120 inches

Mounting Hole Arrangement Style:

Three holes

Body Thickness:

Between 0.050 inches and 0.070 inches

Overall Thickness:

Between 0.637 inches and 0.663 inches

End Application:

Secondary power system

Distance From Vertical Centerline To Center Of Right Hole:

0.745 inches

Distance From Horizontal Centerline To Center Of Right Hole:

0.430 inches

Mounting Hole Type:

Round, unthreaded

Distance Between Hole Centers Along Base:

1.553 inches

Distance Between Hole Centers Along Height:

1.290 inches

Special Features:

Body is grooved 0.094 in. Min 0.104 in. Maximum wide, 1.256 in. Min 1.259 in. Maximum diameter 0.240 in. Min 0.260 in. Maximum from flange to provide for locking

Material:

Steel comp 630

Style Designator:

Round

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A093a0