

View Online at <https://aerobasegroup.com/nsn/3110-01-207-6908>

**Cross Sectional Shape:**

Recessed w/ aperture

**Outside Diameter:**

Between 2.040 inches and 2.060 inches

**Minor Thickness:**

Between 0.587 inches and 0.593 inches

**Recess Diameter:**

Between 1.100 inches and 1.120 inches

**Recess Depth:**

Between 0.380 inches and 0.410 inches

**Body Diameter:**

Between 1.100 inches and 1.120 inches

**Mounting Hole Diameter:**

Between 0.192 inches and 0.210 inches

**Aperture Diameter:**

Between 1.100 inches and 1.120 inches

**Mounting Hole Arrangement Style:**

Three holes

**Body Thickness:**

Between 0.050 inches and 0.070 inches

**Overall Thickness:**

Between 0.637 inches and 0.663 inches

**End Application:**

Secondary power system

**Distance From Vertical Centerline To Center Of Right Hole:**

0.745 inches

**Distance From Horizontal Centerline To Center Of Right Hole:**

0.430 inches

**Mounting Hole Type:**

Round, unthreaded

**Distance Between Hole Centers Along Base:**

1.553 inches

**Distance Between Hole Centers Along Height:**

1.290 inches

**Special Features:**

Body is grooved 0.094 in. Min 0.104 in. Maximum wide, 1.256 in. Min 1.259 in. Maximum diameter 0.240 in. Min 0.260 in. Maximum from flange to provide for locking

**Material:**

Steel comp 630

**Style Designator:**

Round

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A093a0