

View Online at <https://aerobasegroup.com/nsn/3110-01-211-4512>

Lug Quantity:

2

Cross Sectional Shape:

Raised surface w/o aperture

Outside Diameter:

1.280 inches

Minor Thickness:

0.050 inches

Mounting Hole Diameter:

Between 0.218 inches and 0.226 inches

Bolt Circle Hole Quantity:

2

Overall Thickness:

0.171 inches

Mounting Bolt Circle Diameter:

1.706 inches

Lug Width:

0.500 inches

Raised Surface Height:

0.121 inches

Counterbore Diameter:

0.500 inches

Counterbore Depth:

0.121 inches

Mounting Hole Type:

Round, unthreaded

Radius From Center Of Plate To End Of Lug:

1.103 inches

Outside Raised Surface Diameter:

Between 0.622 inches and 0.625 inches

Special Features:

Od of raised surface to have 63.0 microin fin.; mounting hole tabs each equidistant 0.344 in. Above horizontal centerline and 0.781 in. To either side of the vertical centerline

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-225/6 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

Test Data Document:

81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical" "average" "" etc.)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A093a0

Mil-std (military Standard):

Mil-a-8625 spec.