

View Online at <https://aerobasegroup.com/nsn/3110-01-211-4512>

**Lug Quantity:**

2

**Cross Sectional Shape:**

Raised surface w/o aperture

**Outside Diameter:**

1.280 inches

**Minor Thickness:**

0.050 inches

**Mounting Hole Diameter:**

Between 0.218 inches and 0.226 inches

**Bolt Circle Hole Quantity:**

2

**Overall Thickness:**

0.171 inches

**Mounting Bolt Circle Diameter:**

1.706 inches

**Lug Width:**

0.500 inches

**Raised Surface Height:**

0.121 inches

**Counterbore Diameter:**

0.500 inches

**Counterbore Depth:**

0.121 inches

**Mounting Hole Type:**

Round, unthreaded

**Radius From Center Of Plate To End Of Lug:**

1.103 inches

**Outside Raised Surface Diameter:**

Between 0.622 inches and 0.625 inches

**Special Features:**

Od of raised surface to have 63.0 microin fin.; mounting hole tabs each equidistant 0.344 in. Above horizontal centerline and 0.781 in. To either side of the vertical centerline

**Material:**

Aluminum alloy 2024

**Material Specification:**

Qq-a-225/6 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625 military specification single treatment response

**Test Data Document:**

81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical" "average" "" etc.)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A093a0

**Mil-std (military Standard):**

Mil-a-8625 spec.