

View Online at <https://aerobasegroup.com/nsn/3110-01-216-4087>

Cross Sectional Shape:

Raised surface w/o aperture

Outside Diameter:

Between 1.9994 inches and 2.0003 inches

Minor Thickness:

0.250 inches

Mounting Hole Diameter:

Between 0.327 inches and 0.334 inches

Mounting Hole Arrangement Style:

Four holes

Distance Between Holes Along Length:

0.960 inches

Distance Between Holes Along Width:

0.960 inches

Bolt Circle Hole Quantity:

4

Overall Thickness:

0.800 inches

Raised Surface Height:

0.150 inches

Counterbore Diameter:

1.750 inches

Distance From Horizontal Centerline To Center Of Lower Hole:

0.480 inches

Distance From Vertical Centerline To Center Of Right Hole:

0.480 inches

Counterbore Depth:

0.400 inches

Mounting Hole Type:

Round, unthreaded

Inside Raised Surface Diameter:

1.4989 inches

Outside Raised Surface Diameter:

Between 1.7484 inches and 1.7493 inches

Special Features:

63.0 microin fin. On raised surf. Od, 8.0 microin fin. On remaining od; painted surf. White

Material:

Steel comp xm-13

Material Specification:

Ams 5629 assn standard single material response

Surface Treatment:

Paint outer face as mounted

Surface Treatment Specification:

595 federal standard single treatment response outer face as mounted

Style Designator:

Round

Test Data Document:

36659-lc+72-1076 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A093a0